


48V LOW VOLTAGE TRACK SPOTLIGHT WITH ZOOM

KVP-A105512-48v



karjalanvalaistuspalvelu.fi | info@karjalanvalaistuspalvelu.fi | 040 900 6950



SPECIFICATION	
Luminaire type	spotlight
Environment	indoor
Body material	aluminum
Finish color	matt black / white
Operating	-20 ~ +40°C
Dimensions	D 55 mm H 142 mm
Warranty	5 years
Beam angle	Zoom 8~50°
Input volt	DC 48 V
Power	12 W
Lifespan	50 000 hrs

APPLICATIONS	FEATURES
<ul style="list-style-type: none"> ○ museums, art galleries, exhibition halls ○ stores and shops 	<ul style="list-style-type: none"> ○ magnetic 48 V low voltage track ○ art gallery level lighting ○ Casambi ready



- Low voltage products are very small in size and have a minimalistic look
- Low voltage fixtures can be moved very easily and can be used in applications where lighting fixtures are accessible to people, without any risk
- Low voltage tracks can be used for smart lighting, easy to control the whole system of all lights

48V LOW VOLTAGE TRACK SPOTLIGHT WITH ZOOM

KVP-A105512-48v



karjalanvalaistuspalvelu.fi | info@karjalanvalaistuspalvelu.fi | 040 900 6950

Product options

Product code	Dimming	Luminosity	Color temperature	CRI
KVP-A105512-48V DAB	DALI (Brightness only)	550	2700K / 3000K / 4000K	97
KVP-A105512-48V DAC	DALI	440	2700~5700K	90
KVP-A105512-48V RFB	RF Remote (Brightness only)	550	2700K / 3000K / 4000K	97
KVP-A105512-48V RFC	RF Remote	440	2700~5700K	90
KVP-A105512-48V CAB	Casambi (Brightness only)	550	2700K / 3000K / 4000K	97
KVP-A105512-48V CAC	Casambi	440	2700~5700K	90

Available accessories: honeycomb louver, barn doors, snoot, softening lens cover, oval lens cover and wide flood lens cover.

Track types

Dimensions	Black / White 1, 1.5, 2 and 3 meter	Installation
T1		
T2		




48V LOW VOLTAGE TRACK SPOTLIGHT WITH ZOOM

KVP-A105512-48v





karjalanvalaistuspalvelu.fi | info@karjalanvalaistuspalvelu.fi | 040 900 6950

T3




T3

T4



T4

T5



T5

The information is for your reference only, we reserve the right to make alterations in the interest of improving our products.